



Item number | 1999912584



Classic

Examination gloves, ABENA Classic, M, white, nitrile, powder free

- ✓ Elastic
- ✓ Extra soft
- ✓ Adapts to the hand
- ✓ Thin for extra sensitivity
- ✓ blue



Product Description

Elastic examination glove that fits to the shape of the hand during use and provides good sensitivity. Can be used for a variety of tasks such as cleaning, care, food handling, laboratory, medication handling, cytostatics and hormone creams. Contains no latex proteins therefore safe for use in the event of latex allergy.















Specifications

ABENA Sub-brand Classic M Color White Properties Finger textured, latex free, medium grip, rolled cuff, sensitive Features Powder free Single or multiple use Material Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Weight, net 3.4 g Meight, net 3.4 g O,08 +/- 0,02 mm CEE Category (Personal Protective Equipment) CEE Category (Personal Protective Equipment) CEE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Storage Instructions Store dry, clean and at room temperature.	Base name	Examination gloves
Mitte Properties Finger textured, latex free, medium grip, rolled cuff, sensitive Features Powder free Single or multiple use Single use Material Nitrile Fechnical ingredients Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Width 96 mm Weight, net 3.4 g Thickness 0.08 +/- 0.02 mm CEC Category (Personal Protective Equipment) CAT III CEC Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Secause of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Brand	ABENA
White Properties Finger textured, latex free, medium grip, rolled cuff, sensitive Features Powder free Single or multiple use Single use Material Nitrile Fechnical ingredients Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Width 96 mm Weight, net 3.4 g Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CAT III CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Secause of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Sub-brand	Classic
Finger textured, latex free, medium grip, rolled cuff, sensitive Features Powder free Single use Material Nitrile Fechnical ingredients Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Width 96 mm Weight, net 3.4 g Ond 8 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CEC Class (Medical Devices) Class I Croduct or test standards Directives, regulations and acts Directives, regulations and acts Shelf Life, opened Storage Instructions Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured, latex free, medium grip, rolled cuff, sensitive Finger textured latex free, medium grip, rolled cuff, sensitive Finger textured latex free, medium grip, rolled cuff, sensitive latex free, medium grip, rolled cuff, sensitive latex free, medium grip, rolled cuff,	Size	М
Powder free Single or multiple use Material Nitrile Material Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Width 96 mm Weight, net 3.4 g Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CEC Class (Medical Devices) Class I Product or test standards Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened Storage Instructions Store dry, clean and at room temperature.	Color	White
Single or multiple use Material Nitrile Mitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine Length/depth 240 mm Width 96 mm Weight, net 3.4 g Cat III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Properties	Finger textured, latex free, medium grip, rolled cuff, sensitive
Nitrile Technical ingredients Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine 240 mm Width 96 mm Weight, net 3.4 g Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Secause of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions	Features	Powder free
Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine 240 mm 96 mm Width 96 mm Meight, net 3.4 g Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CAT III CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Secause of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Single or multiple use	Single use
L, Chlorine Length/depth 240 mm Width 96 mm Weight, net Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened Storage Instructions Store dry, clean and at room temperature.	Material	Nitrile
Width 96 mm Weight, net 3.4 g Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CAT III CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Technical ingredients	Nitrile NBR, Potassium Hydroxide, Zinc oxide, ZDEC, ZDBC, Sulfur, Titanium Dioxide, Wingstay L, Chlorine
Weight, net 3.4 g Thickness 0,08 +/- 0,02 mm Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Store dry, clean and at room temperature.	Length/depth	240 mm
Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards Circuity (Personal Agent 1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455) Circuity (Personal Protective Equipment) CE Class (Medical Devices) Class I AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Circuity (Personal Protective Equipment) CHAIN (Personal Pro	Width	96 mm
Certifications CAT III, CE, Food contact materials, MD CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Store dry, clean and at room temperature.	Weight, net	3.4 g
CE Category (Personal Protective Equipment) CE Class (Medical Devices) Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Thickness	0,08 +/- 0,02 mm
Class I Product or test standards AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Certifications	CAT III, CE, Food contact materials, MD
AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455 Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	CE Category (Personal Protective Equipment)	CAT III
Directives, regulations and acts MDR (EU) 2017/745, (EU) 2016/425, (EC) No 1935/2004, BEK nr 681 af 25/05/2020, (EC) No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened Storage Instructions Store dry, clean and at room temperature.	CE Class (Medical Devices)	Class I
No 2023/2006 Because of the products composition it has an expiry date from the production date on: Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Product or test standards	AQL 1.5, EN 374-1:2016 Type B KPT, EN 374-5:2016 VIRUS, EN 420, EN 455
Shelf Life, opened 5 years Storage Instructions Store dry, clean and at room temperature.	Directives, regulations and acts	
Storage Instructions Store dry, clean and at room temperature.	Because of the products composition it has an expiry date from the production date on:	5 years
, , ,	Shelf Life, opened	5 years
Product Disposal Instructions Can be disposed of with normal household waste sorted according to local regulations.	Storage Instructions	Store dry, clean and at room temperature.
	Product Disposal Instructions	Can be disposed of with normal household waste sorted according to local regulations.



Packaging Disposal Instructions

Can be disposed of with normal household waste sorted according to local regulations.

Instructions for use/application

Examine the gloves for flaws and defects before use.

Packaging data

Unit	Contains	Length	Width	Height	EAN
cll	1000 pcs	26.5 cm	25.2 cm	25 cm	5703538477126
pck	100 pcs	24.2 cm	12.2 cm	5 cm	5703538477119
pair	2 pcs	0 cm	0 cm	0 cm	
pcs	1 pcs				



Regulation (EU) 2017/745 is a regulation of the European Union on the clinical investigation and sale of medical devices for human use. It repeals Directive 93/42/EEC, which concerns medical devices, and Directive 90/385/EEC, which concerns active implantable medical devices, on 26 May 2021.



The CE mark guarantees that a product is safe to use and complies with all safety precautions. CE stands for Conformité Européenne (European Conformity) and is mainly found on electronic equipment, safety equipment, construction products, and medical devices.



The glass-fork-symbol guarantees that products live up to the demands stated in the European legislation for food contact materials. The symbol is not mandatory but advised on products used for food contact.



Third-party type approval is required for all Category III personal protective equipment (PPE) products. CAT III products will be accompanied by a notified body number for the 3rd party verification of the product's safety.



The product does not contain latex.



The glove has a finger textured surface.



The glove has a medium grip.



The glove is 240 mm long.



The standard specifies the requirements for protective gloves against hazardous chemicals and microorganisms. This part of the standard describes the glove's resistance to bacteria, fungi and viruses.



The standard specifies the requirements for protective gloves against chemicals and microorganisms. Type B has been tested for a permeation time of at least 30 minutes with the chemicals sodium hydroxide 40%, hydrogen peroxide 30% and formaldehyde 37%.



EN 420

The standard specifies the requirements for protective gloves in relation to general requirements and test methods.

EN 455

EN 455 consists of four standards that gloves must be tested against in order to be a medical glove. This standard specifies the requirements for disposable medical gloves.



